

PATENT  
Attorney Docket No. 36671-716.302

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s): K. BUECHLER

Serial Number: 10/697,351

Filing Date: October 29, 2003

Issued Patent No.: 7,824,611

Issued: November 2, 2010

Title: Diagnostic Devices and Apparatus  
for the Controlled Movement of  
Reagents without Membranes

CONFIRMATION NO: 7522

Group Art No. 1797

FAX RECEIVED

MAY 11 2011

OFFICE OF PETITIONS

REQUEST FOR CERTIFICATE OF CORRECTION OF THE ISSUED PATENT  
APPLICANTS MISTAKE (37 C.F.R. §3.81(b))

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
ATTN: Certificate of Correction Branch

Sir/Madam:

Applicant respectfully re-submits Request for Certificate of Correction to comply with the Office Communication dated April 18, 2011 under Rule 3.81(b).

It is noted that an error of minor nature or character appears in this U.S. Patent No. 7,824,611, issued November 2, 2010, due to a mistake on the part of the Applicant as more fully described below. The Patentee believes that correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination of the patent. A Certificate of Correction is therefore respectfully requested.

Attached hereto is Form PTO/SB/44.

07/18/2011 09:10K 04330014 232415 18697351  
01 FC:1464 138.00 DA

U.S. Patent No. 7,824,611  
Request for Certificate of  
Correction of the Issued Patent

**MISTAKE ON THE PART OF APPLICANT:**

Please change the name of the Assignee under (73) from Biosite, Inc., Waltham, MA (US) to Alere San Diego, Inc., San Diego, CA (US).

**FEE AUTHORIZATION**

The Applicant believe that there is no fee associated with this re-submission; however, the Commissioner is authorized to charge any additional fees which may be required, including petition fees, or credit any overpayment to Deposit Account No. 23-2415 (Docket No. 36671-716.302).

Respectfully submitted,

Dated: May 11, 2011

By: Anavelys Ortiz-Suarez  
Anavelys Ortiz-Suarez  
Reg. No. 63,535

WILSON SONSINI GOODRICH & ROSATI  
650 Page Mill Road  
Palo Alto, California 94304  
Telephone: 650-493-9300  
Customer No. 21971